

---

## Contents

### 1 Energetic Beam Synthesis of Dilute Nitrides and Related Alloys

<i>K.M. Yu, M.A. Scarpulla, W. Shan, J. Wu, J.W. Beeman, J. Jasinski, Z. Liliental-Weber, O.D. Dubon, and W. Walukiewicz.....</i>	1
1.1 Introduction .....	1
1.2 Ion Beam Synthesis of Dilute Nitrides .....	3
1.3 Ion Implantation and Pulsed-Laser Melting .....	8
1.4 Synthesis of Dilute Nitrides by Ion Implantation and Pulsed-Laser Melting .....	10
1.5 Maximum Carrier Concentration and Mutual Passivation .....	17
1.6 Synthesis of Dilute II-VI Oxides by Ion Implantation and Pulsed-Laser Melting .....	20
1.7 Photovoltaic Applications of Highly Mismatched Alloys .....	26
1.8 Conclusions .....	29
References .....	30

### 2 Impact of Nitrogen Ion Density on the Optical and Structural Properties of MBE Grown GaInNAs/GaAs (100) and (111)B Quantum Wells

<i>J. Miguel-Sánchez, Á. Guzmán, A. Hierro, E. Muñoz, U. Jahn, and A. Trampert .....</i>	35
2.1 Introduction .....	36
2.1.1 Overview.....	36
2.1.2 Material Properties, Nitrogen Plasmas, and (111)B .....	36
2.2 Experimental Setup .....	37
2.3 Plasma Characterization .....	38
2.3.1 Basic Characterization .....	38
2.3.2 The Modified Langmuir Probe Method.....	40
2.3.3 Application of Magnetic Fields to Nitrogen Plasmas .....	44
2.4 Minimizing the Impact of the Ions .....	45
2.5 The Role of Ions on GaInNAs/GaAs (111)B QWs .....	47

## XII      Contents

2.6	The Role of Ions on GaInNAs/GaAs (100) QWs . . . . .	50
2.6.1	Optical Characterization . . . . .	51
2.6.2	Structural Characterization . . . . .	54
2.7	Conclusions . . . . .	60
	References . . . . .	61

### **3 Electronic Band Structure**

#### **of Highly Mismatched Semiconductor Alloys**

*W. Walukiewicz, K. Alberi, J. Wu, W. Shan, K.M. Yu,  
and J.W. Ager III.* . . . . . 65

3.1	Introduction . . . . .	65
3.2	Localized Impurities . . . . .	66
3.3	The Band Anticrossing Model . . . . .	67
3.4	Experimental Investigation of Dilute III–N–V Alloys . . . . .	72
3.4.1	Interband Transitions in Dilute Nitrides . . . . .	73
3.4.2	Electronic Properties of Dilute Nitrides . . . . .	80
3.5	Valence Band Anticrossing . . . . .	82
3.6	Conclusions . . . . .	86
	References . . . . .	87

### **4 Electronic Structure of $\text{GaN}_x\text{As}_{1-x}$ Under Pressure**

*I. Gorczyca, P. Boguslawski, A. Svane, and N.E. Christensen* . . . . . 91

4.1	Introduction . . . . .	91
4.2	Methodology . . . . .	93
4.2.1	Bandgap Adjustment . . . . .	95
4.2.2	Accuracy of the Supercell Method . . . . .	97
4.2.3	Group-Theoretical Discussion of Electronic States . . . . .	97
4.3	Features of the $\text{GaN}_x\text{As}_{1-x}$ Band Structures . . . . .	98
4.3.1	Effects of Lattice Relaxation . . . . .	99
4.3.2	Composition Dependence of the Bandgap . . . . .	100
4.3.3	Optical Transitions to $E_-$ and $E_+$ . . . . .	102
4.3.4	Effects of Hydrostatic Pressure . . . . .	105
4.3.5	Discussion of the Origin of the $E_+$ Edge . . . . .	108
4.4	Conduction Band Mass vs. Composition, Pressure, and Wavevector . . . . .	109
4.5	Summary . . . . .	116
	References . . . . .	117

### **5 Experimental Studies of GaInNAs**

#### **Conduction Band Structure**

*C. Skierbiszewski* . . . . . 123

5.1	Introduction . . . . .	123
5.2	GaInNAs Electron Effective Mass and Conduction Band Dispersion . . . . .	125
5.2.1	Effective Mass Determination . . . . .	125
5.2.2	Giant Nonparabolicity of the GaInNAs Conduction Band	129

5.2.3	Effective Mass at the Bottom of the Conduction Band . . . . .	131
5.2.4	Pressure Dependence of the Effective Mass for $k \sim 0$ . . . . .	137
5.3	Interband Absorption of Free-Standing Epitaxial Layers . . . . .	139
5.4	Dielectric Function and the Critical Point Transitions . . . . .	142
5.5	Effective $g^*$ -Factors for Electrons and Holes . . . . .	146
5.5.1	Effective $g^*$ -Factor for the $E_-$ Conduction Band . . . . .	151
5.5.2	Effective $g^*$ -Factors for the $E_+$ Conduction Band and the Valence Bands . . . . .	154
5.5.3	Electron Effective Mass at the Bottom of the $E_-$ Band . . . . .	155
5.6	Conclusions . . . . .	157
	References . . . . .	158

## **6 Electromodulation Spectroscopy of GaInNAsSb/GaAs**

### **Quantum Wells: The Conduction Band Offset and the Electron Effective Mass Issues**

<i>J. Misiewicz, R. Kudrawiec, M. Gladysiewicz, and J.S. Harris</i> . . . . .	163	
6.1	Introduction . . . . .	163
6.2	Experimental Background . . . . .	164
6.3	Theoretical Approach . . . . .	167
6.4	Results and Discussion . . . . .	171
6.4.1	Identification of Contactless Electroreflectance Resonances	171
6.4.2	Conduction Band Offset and Electron Effective Mass Determination . . . . .	172
6.4.3	Influence of Remaining Parameters and Possible Errors . . . . .	175
6.5	Summary and Outlook . . . . .	176
	References . . . . .	177

## **7 The Effects of Nitrogen Incorporation on Photogenerated Carrier Dynamics in Dilute Nitrides**

<i>S. Mazzucato and R.J. Potter</i> . . . . .	181	
7.1	Introduction . . . . .	181
7.2	Exciton Localisation . . . . .	183
7.3	Localisation in Dilute Nitrides . . . . .	184
7.3.1	Photoluminescence Lineshape and S-Shape Temperature Dependence . . . . .	184
7.3.2	Nearest Neighbour Configurations in Dilute Nitrides . . . . .	188
7.3.3	Time Resolved Photoluminescence . . . . .	188
7.3.4	Excitation Intensity Dependence . . . . .	190
7.4	Reducing Localisation . . . . .	191
7.4.1	Thermal Annealing . . . . .	191
7.4.2	Antimony incorporation . . . . .	194
7.5	Summary . . . . .	194
	References . . . . .	195

**8 Influence of the Growth Temperature  
on the Composition Fluctuations  
of GaInNAs/GaAs Quantum Wells**

<i>M. Herrera, D. Gonzalez, M. Hopkinson, H.Y. Liu, and R. Garcia</i> . . . . .	199
8.1 Introduction . . . . .	199
8.2 Experimental . . . . .	201
8.3 Composition Fluctuations in GaInNAs Studied by Transmission Electron Microscopy in Diffraction Contrast . . . . .	201
8.4 Spinodal Decomposition in GaInNAs . . . . .	209
8.5 Increase of the Composition Fluctuations with Temperature . . . . .	215
8.6 Summary and Future Trends . . . . .	218
References . . . . .	219

**9 Assessing the Preferential Chemical Bonding of Nitrogen  
in Novel Dilute III–As–N Alloys**

<i>D.N. Talwar</i> . . . . .	223
9.1 Introduction . . . . .	223
9.2 Local Vibrational Mode Spectroscopy . . . . .	225
9.2.1 Vibrational Modes of Light Impurities in GaAs . . . . .	226
9.2.2 Local Vibrational Mode of Nitrogen in GaAs and InAs . . . . .	227
9.2.3 Bonding of Nitrogen in $\text{Ga}_{1-x}\text{In}_x\text{N}_y\text{As}_{1-y}$ Alloys . . . . .	231
9.3 Theoretical . . . . .	234
9.3.1 Ab Initio Method . . . . .	235
9.3.2 Green's Function Technique . . . . .	235
9.3.3 Numerical Computations and Results . . . . .	237
9.4 Discussion and Conclusion . . . . .	248
References . . . . .	250

**10 The Hall Mobility in Dilute Nitrides**

<i>M.P. Vaughan and B.K. Ridley</i> . . . . .	255
10.1 Introduction . . . . .	255
10.2 Non-Parabolicity in Dilute Nitrides . . . . .	257
10.3 The Hall Mobility . . . . .	261
10.4 The Ladder Method . . . . .	263
10.5 Ladder Coefficients in a Non-Parabolic Band . . . . .	268
10.6 Elastic Scattering Processes . . . . .	275
10.6.1 Alloy Scattering . . . . .	275
10.6.2 Other Elastic Processes . . . . .	276
10.7 Results and Conclusions . . . . .	279
References . . . . .	280

**11 Spin Dynamics in Dilute Nitride**

<i>X. Marie, D. Lagarde, V. Kalevich, and T. Amand</i> . . . . .	283
11.1 Introduction . . . . .	283
11.2 Samples and Experimental Set-Up . . . . .	284
11.3 Experimental Results . . . . .	285

11.4	Electron Spin Dynamics and Spin-Dependent Recombination . . . . .	290
11.5	Conclusion . . . . .	297
	References . . . . .	298
<b>12 Optical and Electronic Properties of GaInNP Alloys: A New Material for Lattice Matching to GaAs</b>		
<i>I.A. Buyanova and W.M. Chen</i>	.....	301
12.1	Introduction . . . . .	301
12.2	Origin of Radiative Recombination . . . . .	302
12.3	Compositional and Temperature Dependences of Bandgap Energies . . . . .	305
12.3.1	Compositional Dependence . . . . .	305
12.3.2	Temperature Dependence . . . . .	307
12.4	Band Alignment in GaInNP/GaAs Heterostructures . . . . .	308
12.4.1	PL Up-Conversion in GaInNP/GaAs Heterostructures . . . . .	309
12.4.2	Interface-Related Emission . . . . .	312
12.4.3	Band Offsets at the GaInNP/GaAs Interface . . . . .	313
12.5	Summary . . . . .	314
	References . . . . .	314
<b>13 Properties and Laser Applications of the GaP-Based GaNAsP-Material System for Integration to Si Substrates</b>		
<i>B. Kunert, K. Volz, and W. Stolz</i>	.....	317
13.1	Introduction . . . . .	317
13.2	Growth and Structural Properties . . . . .	320
13.2.1	GaInNAsP Growth . . . . .	320
13.2.2	Structural Properties of GaInNAsP/GaP . . . . .	324
13.3	Optical Properties and Band Structure . . . . .	330
13.4	Laser Devices . . . . .	337
13.5	Summary . . . . .	339
	References . . . . .	341
<b>14 Comparison of the Electronic Band Formation and Band Structure of GaNAs and GaNP</b>		
<i>M. Güngerich, P.J. Klar, W. Heimbrodt, G. Weiser, A. Lindsay, C. Harris, and E.P. O'Reilly</i>	.....	343
14.1	History of Dilute-N III-V Semiconductor Alloys and Corresponding Optoelectronic Devices . . . . .	344
14.2	Luminescence Characteristics of $\text{GaN}_x\text{As}_{1-x}$ and $\text{GaN}_x\text{P}_{1-x}$ . . . . .	347
14.3	Electronic Density of States in $\text{GaN}_x\text{As}_{1-x}$ and $\text{GaN}_x\text{P}_{1-x}$ . . . . .	351
14.4	Theory of Band Formation in Dilute Nitride Semiconductors . . . . .	358
14.5	Conclusions . . . . .	363
	References . . . . .	364

<b>15 Doping, Electrical Properties and Solar Cell Application of GaInNAs</b>	
<i>K. Volz, W. Stolz, J. Teubert, P.J. Klar, W. Heimbrodt, F. Dimroth, C. Baur, and A.W. Bett</i>	369
15.1 Introduction	369
15.2 GaInNAs Growth and Doping	371
15.3 Carrier Transport Properties	378
15.3.1 Hall Measurements	378
15.3.2 Magnetoresistance Measurements	381
15.3.3 Thermopower Measurements	386
15.4 Annealing Effects on Structural and Optical Properties	388
15.4.1 Structural Properties	388
15.4.2 Optical Properties	395
15.5 Solar Cell Characteristics	400
15.6 Summary	401
References	402
<b>16 Elemental Devices and Circuits for Monolithic Optoelectronic-Integrated Circuit Fabricated in Dislocation-Free Si/III-V-N Alloy Layers Grown on Si Substrate</b>	
<i>H. Yonezu</i>	405
16.1 Introduction	405
16.2 Growth of Structural Defect-Free Si/(In)GaPN Layers on Si Substrate	406
16.3 Optical and Electrical Properties of GaPN and InGaPN	408
16.4 Monolithic Implementation of Elemental Devices for Optoelectronic-Integrated Circuits	412
16.5 Summary	416
References	417
<b>17 Analysis of GaInNAs-Based Devices: Lasers and Semiconductor Optical Amplifiers</b>	
<i>D. Alexandropoulos, M.J. Adams, and J. Rorison</i>	419
17.1 Introduction	419
17.2 Band Structure	420
17.2.1 General Considerations	420
17.2.2 Parameterization of the Band Anticrossing Model	422
17.2.3 Band Lineup	423
17.2.4 Implementation of the Band Structure Model	423
17.3 Optical Properties of GaInNAs Alloys	424
17.3.1 GaInNAs Material Gain	425
17.3.2 N-Positional Dependence of Material Gain	426
17.3.3 Comparison of GaInNAs and GaInAsP Material Gain	428
17.3.4 Differential Gain	428

Contents XVII

17.3.5	Differential Refractive Index . . . . .	431
17.3.6	Linewidth Enhancement Factor . . . . .	431
17.4	Laser Design Considerations . . . . .	433
17.4.1	Effect of In and N Composition on the Transition Wavelength . . . . .	434
17.4.2	Effect of In and N Composition on the Optical Properties . . . . .	436
17.5	GaInNAs Based Semiconductor Optical Amplifiers . . . . .	439
17.5.1	Polarization Sensitive GaInNAs Semiconductor Optical Amplifiers . . . . .	439
17.5.2	Polarization Insensitive GaInNAs SOAs . . . . .	444
17.6	Conclusion . . . . .	446
	References . . . . .	446
<b>18 Dilute Nitride Quantum Well Lasers by Metalorganic Chemical Vapor Deposition</b>		
<i>N. Tansu and L.J. Mawst</i>	.....	449
18.1	Introduction . . . . .	449
18.2	Metalorganic Chemical Vapor Deposition-Grown GaIn(N)As Quantum Well . . . . .	451
18.3	Lasing Characteristics of 1,200 nm GaInAs . . . . .	453
18.4	Lasing Characteristics of GaInNAs Quantum Well Lasers . . . . .	458
18.5	1,300 nm GaInNAs Multiple Quantum Well Lasers . . . . .	463
18.6	1,300 nm GaInNAs Single Quantum Well Lasers with Higher N Content . . . . .	464
18.7	1,320 nm GaInNAs Quantum Well Lasers with GaNAs Barriers . .	466
18.8	Comparison of Metalorganic Chemical Vapor Deposition GaInNAs with Other GaInNAs in 1,300 nm Regimes . . . . .	471
18.9	Single-Mode Ridge Waveguide 1,300 nm GaInNAs Quantum Well Lasers . . . . .	472
18.10	Extension of GaInNAs Quantum Well Lasers Beyond 1,320 nm .	475
18.11	Temperature Analysis of the GaInNAs QW Lasers . . . . .	480
18.12	Thermionic Emission Lifetime of GaInNAs Quantum Wells Lasers . . . . .	485
18.13	Experimental Evidence of the Existence of Carrier Leakages . .	490
18.14	Extending the Emission Wavelength to 1,550 nm Regimes . .	495
18.15	Conclusions . . . . .	496
	References . . . . .	497
<b>19 Interdiffused GaInNAsSb Quantum Well on GaAs for 1,300–1,550 nm Diode Lasers</b>		
<i>R.A. Arif and N. Tansu</i>	.....	503
19.1	Introduction . . . . .	504
19.2	Design of the Interdiffused GaInAsNSb Quantum Well . . . . .	505
19.3	Band Lineups of GaInNAsSb Material Systems . . . . .	507

## XVIII Contents

19.4	Computational Model of Sb–N Quantum Well Intermixing . . . . .	508
19.4.1	Sb–N Interdiffusion Model . . . . .	508
19.4.2	Ga(N)As–GaInNAs–GaIn(N)AsSb Energy Band Lineup . . . . .	509
19.5	Interdiffused GaInAsSb–GaInNAs Quantum Well Structure . . . . .	514
19.6	Optimization for Interdiffused GaInNAsSb Quantum Well at 1,550 nm Regime . . . . .	515
19.7	Strain-Compensated Interdiffused GaInAsSb–GaNAs Quantum Well Structure . . . . .	516
19.8	Experiments on the Interdiffusion of Sb- and N-Species in GaAs . . . . .	518
19.9	Summary . . . . .	521
	References . . . . .	522

## 20 Vertical Cavity Semiconductor Optical Amplifiers Based on Dilute Nitrides

	<i>S. Calvez and N. Laurand</i> . . . . .	525
20.1	Introduction . . . . .	525
20.2	Device Description and Theory . . . . .	526
20.2.1	Device Description . . . . .	526
20.2.2	Amplification Analysis Using Rate Equations . . . . .	528
20.3	Continuous-Wave Experimental Demonstrations . . . . .	534
20.3.1	Devices . . . . .	534
20.3.2	Amplification Characterization Setup . . . . .	535
20.3.3	Reflective 1,300 nm GaInNAs Vertical Cavity Semiconductor Optical Amplifier in Operation . . . . .	537
20.3.4	Optimization and Noise of 1,300 nm GaInNAs Vertical Cavity Semiconductor Optical Amplifiers . . . . .	540
20.3.5	Tunability . . . . .	543
20.3.6	Material Parameter Extraction . . . . .	547
20.4	Gain Dynamics . . . . .	550
20.4.1	Measurement Method and Associated Theoretical Remarks . . . . .	551
20.4.2	Experimental Setup . . . . .	552
20.4.3	VCSOA Dynamics Measurement . . . . .	553
20.5	Extension to the 1,550 nm Band . . . . .	555
20.6	Conclusion . . . . .	559
	References . . . . .	560

## 21 Dilute Nitride Photodetector and Modulator Devices

	<i>J.B. Héroux and W.I. Wang</i> . . . . .	563
21.1	Introduction . . . . .	563
21.2	GaInNAsSb Material Properties for Detector and Modulator Devices . . . . .	566
21.2.1	Material Growth . . . . .	566
21.2.2	Band Structure . . . . .	567

Contents XIX

21.3	p-i-n Photodetectors .....	570
21.3.1	GaInNAs:Sb Resonant Cavity-Enhanced Photodetector Operating at 1.3 $\mu$ m .....	570
21.3.2	Subsequent Results .....	574
21.3.3	Alternatives Devices .....	575
21.4	Photodetectors with Gain .....	576
21.4.1	Heterojunction Phototransistors .....	576
21.4.2	Avalanche Photodiodes .....	580
21.5	Modulators .....	581
	References .....	584
	<b>Index .....</b>	<b>587</b>